


# 300Mbps High Power Wireless USB Adapter

High Power with Farther Range, Faster Streaming









# Highlights

TL-WN8200ND

#### N300 Stability for Your Daily Needs


With two streams receiving data, the TL-WN8200ND reaches Wi-Fi speeds of up to 300Mbps, ideal for streaming, gaming and internet calls.

# 300Mbps 2.4GHz

Router

#### High Power, Increased Range

Two 5dBi high power antennas reach your router from farther, catching and sustaining reliable wireless connections even across mutiple walls or floors.





TL-WN8200ND

### Features



 Fast Wi-Fi – Speed with 300Mbps at 2.4GHz band is ideal for video streaming, internet calling, or online gaming wirelessly



 Broad Wireless Range – Two 5dBi high power external antennas ensure superior coverage and stability



 Backwards Compatibility – Supports routers utilizing 802.11b and 802.11g Wi-Fi standards



- Active Defense WPA/WPA2 encryption provides your Wi-Fi network with advanced protection against security threats
- · WPS Button Easy wireless security encryption at a push of the WPS button

## **Specifications**

#### Wireless

- · Wireless Standard: IEEE 802.11n, IEEE 802.11g, IEEE 802.11b
- · Frequency: 2.4GHz
- · Wireless Mode: Ad-Hoc / Infrastructure Mode
- · Wireless Security: WEP, WPA/WPA2, WPA-PSK/WPA2-PSK
- Modulation Technology: Support 64/128 bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK

#### Hardware

· Interface: Mini USB 2.0

· Antenna: 2 Detachable External Antennas (RP-SMA)

· LED: Status

· Button: WPS

· Dimensions: 3.6 × 2.4 × 1.0 in (90.8 × 60.8 × 24.5mm)







For more information, please visit

<a href="http://www.tp-link.com/en/products/details/TL-WN8200ND.html">http://www.tp-link.com/en/products/details/TL-WN8200ND.html</a>

or soon the OR code left.

#### Others

· Package Contents

300Mbps High Power Wireless USB Adapter TL-WN8200ND

1.5m USB Cable

Quick Installation Guide

Resource CD

· Certification

CE, RoHS

· System Requirements

Windows10/8.1/8/7, Mac OS X 10.7-10.12, Linux

Environment

Operating Temperature:  $0^{\circ}$ C~40°C (32°F~104°F) Storage Temperature:  $-40^{\circ}$ C~70°C ( $-40^{\circ}$ F~158°F)

Operating Humidity: 10%~90% non-condensing Storage Humidity: 5%~90% non-condensing

Specifications are subject to change without notice. TP-Link is a registered trademark of TP-Link Technologies Co., Ltd. Other brands and product names are trademarks of their respective holders. Copyright ©2017 TP-Link Technologies Co., Ltd. All rights reserved.

www.tp-link.com